IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Myriam GOLEMBO et al. Confirmation No.: 3940

Application No.: 10/664,605 Patent No.: 7,276,481 B2

Filing Date: September 15, 2003 Patent Date: October 2, 2007

For: METHOD AND COMPOSITION FOR

TREATMENT OF SKELETAL

DYSPLASIAS

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attorney Docket No.: 81408-4300

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Patentees hereby respectfully request the issuance of a Certificate of Correction in connection with the above-identified patent. The corrections are listed on the attached Form PTO-1050. The corrections requested are as follows:

Title Page:

Before Item (30), please insert the following:

-- (60) Provisional application No. 60/276,939, filed Mar. 20, 2001. --

Support for this change appears on the signed Declaration filed on March 10, 2004 in response to the Notice to File Missing Parts.

Column 51:

Line 9 (claim 6, line 6), change "(1GF-1)" to -- (IGF-1) --. Support for this change appears in application claim 40.

Line 17 (claim 9, line 2), before "in vitro", change "hone" to -- bone --. Support for this change appears in application claim 67.

Line 36 (claim 15, line 3), after "protein fusion", delete the second occurrence of "protein". This change is requested merely to correct a typographical error.

Line 39 (claim 15, line 6), change "(1GF-1)" to -- (IGF-1) --. Support for this change appears in application claim 77.

Column 52:

Line 5 (claim 20, line 1), before "bone" insert -- a --. Support for this change appears in application claim 82.

Line 30 (claim 27, line 1), after "claim", change "20" to -- 26 --. Support for this change appears in application claim 93.

Line 37 (claim 28, line 6), change "(1GF-1)" to -- (IGF-1) --. Support for this change appears in application claim 94.

The requested changes are to correct errors of a clerical or typographical nature and do not involve changes that would constitute new matter or require reexamination.

A fee of \$100 is believed to be due for this request. Please charge the required fees to Winston & Strawn LLP Deposit Account No. 50-1814. Please issue a Certificate of Correction in due course.

Respectfully submitted,

10/17/07

Allan A. Fanucci, Reg. No. 30,256

WINSTON & STRAWN LLP Customer No. 28765

212-294-3311

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 7,276,481 B2

Page 1 of 1

APPLICATION NO. : 10/664,605

DATED: INVENTOR(S)

: October 2, 2007 : Golembo et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page:

Before Item (30), please insert the following:

-- (60) Provisional application No. 60/276,939, filed Mar. 20, 2001. --

Column 51:

Line 9 (claim 6, line 6), change "(1GF-1)" to -- (IGF-1) --.

Line 17 (claim 9, line 2), before "in vitro", change "hone" to -- bone --.

Line 36 (claim 15, line 3), after "protein fusion", delete the second occurrence of "protein".

Line 39 (claim 15, line 6), change "(1GF-1)" to -- (IGF-1) --.

Column 52:

Line 5 (claim 20, line 1), before "bone" insert -- a --.

Line 30 (claim 27, line 1), after "claim", change "20" to -- 26 --.

Line 37 (claim 28, line 6), change "(1GF-1)" to -- (IGF-1) --.

(60) Provisional application No. 60/276,939, filed Mar. 20, 2001

(12) United States Patent Golembo et al.

(10) Patent No.:

US 7,276,481 B2

(45) Date of Patent:

Oct. 2, 2007

(54) METHOD AND COMPOSITION FOR TREATMENT OF SKELETAL DYSPLASIAS

(75) Inventors: Myriam Golembo, Moshav Netayim (IL); Avner Yayon, Moshav Sitria (IL)

(73) Assignee: **ProChon Biotech Ltd.**, Ness-Ziona

(IL)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 311 days.

(21) Appl. No.: 10/664,605

(22) Filed: Sep. 15, 2003

(65) Prior Publication Data

US 2004/0138134 A1 Jul. 15, 2004

Related U.S. Application Data

(63) Continuation of application No. PCT/IL02/00229, filed on Mar. 20, 2002.

(30) Foreign Application Priority Data

Mar. 20, 2001 (IL) 00142118

(51) Int. Cl.

A61K 38/00 (2006.01)

(52) U.S. Cl. 514/13; 514/2; 435/1.1

(58) **Field of Classification Search** None See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,683,195	Α	7/1987	Mullis et al 435/6
4,683,202	Α	7/1987	Mullis 435/91.2
4,965,188	Α	10/1990	Mullis et al 435/6
5,336,759	Α	8/1994	Matsuo et al 530/326
5,338,759	Α	8/1994	Shechter et al 514/492
5,434,133	Α	7/1995	Tanaka et al 514/12
5,846,932	Α	12/1998	Lowe et al 514/9
5,973,134	Α	10/1999	Matsuo et al 536/23.53
6,020,168	Α	2/2000	Matsuo et al 435/69.4
6,034,231		3/2000	Tanaka et al 536/23.51
6,329,375		12/2001	Tang et al 514/250
6,344,459			Bridges et al 514/234.5
2001/0025026	Αl	9/2001	Heartlein et al 514/12

FOREIGN PATENT DOCUMENTS

EP 0 528686 A2 * 2/1993 WO WO 00/61631 10/2000

OTHER PUBLICATIONS

Druker and Lydon, J Clin Invest. 2000; 105: 3-7.* Suzuki et al. FEBS Letters, 1991; 282: 321-325.* Yabuta EP 0528686 A2, published Feb. 1993.* Rivera et al. Science 2000; 287: 826-830.* Mericq et al. J Clin Endocrinol Metab. 2000; 85: 569-73.*

Hendy et al. Kidney Int. 2006; 69: 218-223.*

Agrawal. S. et al., "Pharmacokinetics, biodistribution, and sta

Agrawal, S. et al., "Pharmacokinetics, biodistribution, and stability of oligodeoxynucleotide phosphorothioates in mice," *Proc. Natl. Acad. Sci. USA*, vol. 88, pp. 7595-7599 (1991).

Brandt, R.R. et al., "Neutral Endopeptidase Regulates C-Type Natriuretic Peptide Metabolism But Does Not Potentiate Its Bioactivity In Vivo," *Hypertension*, vol. 30, No. 2, pp. 184-190 (1997).

Chang, P.L., "Microcapsules as Bio-organs for Somatic Gene Therapy," *Annals New York Academy of Sciences*, vol. 831, pp. 460-473 (1997).

Chen, H.H. et al., "C-Type Natriuretic Peptide: The Endothelial Component of the Natriuretic Peptide Systems," *J. of Cardiovasc. Pharmacol.*, vol. 32, Suppl. 3, pp. S22-S28 (1998).

Chen, H.H. et al., "Natriuretic Peptides in the Pathophysiology of Congestive Heart Failure," Curr. Cadiol. Rev., vol. 2, pp. 198-205 (2000).

Chusho, H. et al., "Dwarfism and early death in mice lacking C-type natriuretic peptide," *PNAS*, vol. 98, No. 7, pp. 4016-4021 (2001).

Fingl, E. et al., "Chapter 1—General Principles," in The Pharmacological Basis of Therapeutics 5th edition, MacMillan Publishing Co., Inc., New York, pp. 1-46 (1975).

Harvey, C.B. et al., "Molecular Mechanisms of Thyroid Hormone Effects on Bone Growth and Function," *Molecular Genetics and Metabolism*, vol. 75, pp. 17-30 (2002).

Kelly, P.A. et al., "Growth Hormone Receptor Signalling and Actions in Bone Growth," *Hormone Research*, vol. 55 (suppl. 2), pp. 14-17 (2001).

Kridel, S.J. et al., "Substrate Hydrolysis by Matrix Metalloproteinase-9," *J. Biol. Chem.*, vol. 276, No. 23, pp. 20572-20578 (2001).

Matsukawa, N. et al., "The natriuretic peptide clearance receptor locally modulates the physiological effects of the natriuretic peptide system," *Proc. Natl. Acad. Sci. USA*, vol. 96, pp. 7403-7308 (1999).

McCarthy, T.L. et al., "Local IGF-I expression and bone formation," *Growth Hormone & IGF Research*, vol. 11, pp. 213-219 (2001).

Mericq, V. et al., "Regulation of Fetal Rat Bone Growth by C-Type Natriuretic Peptide and cGMP," *Pediatric Research*, vol. 47, No. 2, pp. 189-193 (2000).

Murthy, K.S. et al., "Identification of the G Protein-activating Domain of the Natriuretic Peptide Clearance Receptor (NPR-C)," J. Biol. Chem., vol. 274, No. 25, pp. 17587-17592 (1999).

Ohbayashi, H. et al., "Neutral endopeptidase 3.4.24.11 Inhibition Potentiates the Inhibitory Effects of Type-C Natriuretic Peptide on Leukotriene D₄-Induced Airway Changes," *Clin. Exp. Pharma. Physiol.*, vol. 25, pp. 986-991 (1998).

(Continued)

Primary Examiner—Elizabeth Kemmerer
Assistant Examiner—Christina Borgeest
(74) Attorney, Agent, or Firm—Winston & Strawn LLP

(57) ABSTRACT

The present invention discloses pharmaceutical compositions for the treatment of skeletal dysplasias, comprising as an active ingredient at least one natriuretic peptide. Unexpectedly, it has been shown that the natriuretic factors may be effective for bone elongation in situations of abnormal bone growth especially for achondroplasia. The effects of the natriuretic peptide may be further enhanced by prolonging its residence time or action at the target site.

15

30

52

- 5. The pharmaceutical composition according to claim 1 further comprising an inhibitor of fibroblast growth factor receptor 3 tyrosine kinase.
- 6. The pharmaceutical composition according to claim 1 wherein the natriuretic peptide is fused to a carrier protein 5 forming a natriuretic peptide-carrier protein fusion protein; wherein the carrier protein is selected from the group consisting of growth hormone (GH), insulin like growth factor-1 (1GF-1) and thyroid hormone (TH).

7. The pharmaceutical composition according to claim 6 10 wherein the carrier protein comprises growth hormone.

- 8. The pharmaceutical composition according to claim 6 wherein said at least one natriuretic peptide is conjugated to a carrier protein forming a natriuretic peptide-carrier protein conjugate.
- 9. A method for increasing the size of a bone growth plate in a bone comprising treating the hone in vitro with an effective amount of at least one natriuretic peptide in a pharmaceutical composition according to claim 1.
- 10. The method according to claim 9 further comprising 20 inhibiting the natriuretic peptide clearance receptor.
- 11. The method according to claim 9 further comprising an inhibitor of the neutral endopeptidase 24.11.
- 12. The method according to claim 11 wherein the inhibitor of neutral endopeptidase 24.11 is thiorphan or candox- 25 atril.
- 13. The method according to claim 12 wherein the step of administering an inhibitor of neutral endopeptidase is performed simultaneously with the step of administering an effective amount of at least one natriuretic peptide.
- 14. The method according to claim 9 further comprising an inhibitor of fibroblast growth factor receptor 3 tyrosine kinase.
- 15. The method according to claim 9 wherein said at least one natriuretic peptide is fused to a carrier protein forming a natriuretic peptide-carrier protein fusion protein wherein the carrier protein is selected from the group consisting of growth hormone (GH), insulin like growth factor-1 (1GF-1) and thyroid hormone (TH).

16. The method according to claim 15 wherein the carrier 40 protein fusion protein comprises growth hormone.

17. The method according to claim 9 wherein said at least one natriuretic peptide is conjugated to a carrier protein forming a natriuretic peptide-carrier protein conjugate.

- 18. The method according to claim 9 wherein the bone is a limb bone.
- 19. The method according to claim 18 wherein the limb bone is an achondroplasic bone.
- 20. A method for elongation of bone, comprising treating the bone in vitro with an effective amount of at least one natriuretic peptide in a pharmaceutical composition according to claim 1.
- 21. The method according to claim 20 further comprising inhibiting the natriuretic peptide clearance receptor.
- 22. The method according to claim 20 further comprising an inhibitor of the neutral endopeptidase 24.11.
- 23. The method according to claim 22 wherein the inhibitor of neutral endopeptidase 24.11 is thiorphan or candoxatril.
- 24. The method according to claim 22 wherein the step of administering an inhibitor of neutral endopeptidase is performed simultaneously with the step of administering an effective amount of at least one natriuretic peptide.
- 25. The method according to claim 20 further comprising an inhibitor of fibroblast growth factor receptor 3 tyrosine kinase.
- 26. The method according to claim 20 wherein said at least one natriuretic peptide is a natriuretic peptide fused to a carrier protein forming a natriuretic peptide-carrier protein fusion protein.

27. The method according to claim 20 wherein the carrier protein comprises growth hormone.

28. The method according to claim 20 wherein said at least one natriuretic peptide is conjugated to a carrier protein forming a natriuretic peptide-carrier protein conjugate wherein the carrier protein is selected from the group consisting of growth hormone (GH), insulin like growth factor-1(1GF-1) and thyroid hormone (TH).

29. The method according to claim 20 wherein the bone is a limb bone.

30. The method according to claim 20 wherein the limb bone is an achondroplasic bone.

(IGF-I)

26

* * * * *

(IGF-I)

bone -